



个性搭配 装配简便




黑胶体+外壳=U盘，自由搭配各种不同的外壳，打造更多个性产品。芯片采用黑胶一体封装技术，体积更迷你



黑胶体长款

+ 外壳 =




个性U盘



黑胶体短款

+ 外壳 =



个性U盘


坚固耐用 数据安全






芯片采用黑胶一体封装技术，具有防水防尘
防震等特点，多场景使用也能保障数据安全



*仅可在正常使用环境中耐受高低温及防水防尘，极端环境、不明液体环境中不建议使用。



USB flash drive chip



多色可供选择



太空黑 金属银 土豪金 玫瑰粉



个人·企业定制
高性能卡片U盘

有效防水 防摔 防尘 抗高压 耐高温

个性名片 婚纱刻字
毕业礼品 企业礼品
创意图案 公司logo



USB版本			标志	传输速度 (bit)	理论速度 (Byte)	
目前官方版本名	官方市场代号	原名				
Low-Speed	Basic-Speed USB	USB 1.0		1.5Mbps	0.1875MB/s	
Full-Speed		USB 1.1		12Mbps	1.5MB/s	
High-Speed	高速Hi-Speed USB	USB 2.0		480Mbps	60MB/s	
USB 3.2	Gen 1×1	超高速USB5Gbps SuperSpeed USB 5Gbps	USB 3.0 (曾用名USB 3.1 Gen 1)		5Gbps	500MB/s
	Gen 2×1	超高速USB 10Gbps SuperSpeed USB 10Gbps	USB 3.1 (曾用名 USB 3.1 Gen 2)		10Gbps	1212.12MB/s
	Gen 2×2	超高速USB 20Gbps SuperSpeed USB 20Gbps	N/A		20Gbps	2424.24MB/s
USB4					40Gbps	5GB/s




SATA




mSATA





PCIe



m.2





Samsung SSD
850 EVO

1TB

SAMSUNG

P/N MZ75E1T0HCHP-2Z000

Model MZ-75E1T0

MSIP-REM-SEC-MZ-75E1T0



RATED DC+5.0V 1.0A



S/N



WWN 5002538810230041

PSID 12380568405297864559102231850041



WARNING Product can be damaged by Electrostatic Discharge (ESD). Warranty void if label removed or case opened. 1GB=1,000,000,000 bytes. Actual usable capacity may be less.

CAN ICES-3 (B)/NMB-3 (B)
Product of KOREA

WARRANTY VOID IF REMOVED

www.samsung.com/ssd
SAMSUNG ELECTRONICS CO., LTD.



Kingston
TECHNOLOGY
Warranty Void If Removed



TAIWAN
003056R2

DC + 3.3V 1A



C  US
E333487

CAN ICES-3(B)
/NMB-3(B)

FCC


SERIAL
ATA



D43254







CHECK YOUR **M.2** SSD **TYPE**

